

Otokar



INTERCITY

NAVIGO U

CHOICE OF 2 DIFFERENT LENGTHS
LOW OPERATING COST
EXCELLENT FOR MULTIPURPOSE USE



33+6



AT



3,5 m³



UNIQUE INNOVATIVE DESIGN



COMFORTABLE SEATS




**ERGONOMICALLY DESIGNED
DRIVER AREA**




**3RD DOOR FOR WHEELCHAIR ACCESS WITH
OPTIONAL LIFT INSTALLATION**

The versatile **Navigo U** is perfect for shuttle services, school trips and commuter transport. It has capacity for up to 39 passengers as well as a spacious luggage compartment. A third door is included with provision for a wheelchair lift, making access easy for everyone. Automatic transmission ensures a smooth journey for driver and passengers.

SEAT CONFIGURATION



33 SEATED + 6 STANDING



31 SEATED + 6 STANDING

Alternative configurations available on demand.

TECHNICAL SPECIFICATIONS

Structure

Body construction	Monocoque
Side windows	Double glazed

Engine

Make/model	Cummins ISBe4.5 185B Intercooler Turbo Diesel Euro V
Cylinders	4 in line
Volume	4462 cc
Max. power	136kW (185 HP) / 2300 rpm
Max torque	700 Nm / 1200 - 1800 rpm

Transmission

Make/model	Allison automatic transmission
------------	--------------------------------

Axles

Front	Rigid
Rear	Rigid

Steering system

Type	Hydraulic
Turning radius	6,9 m

Brake system

Service brakes	Full dry air disc brakes, ABS, ASR, retarder
----------------	--

Suspension

Front	Double effective shock absorbers, Leaf parabolic leaf springs
Rear	Double effective shock absorbers, Leaf parabolic leaf springs

Wheels

Tyre	235/75 R 17,5
------	---------------

Fuel system

Diesel tank capacity	197 L
AdBlue® tank capacity	21 L

Heating and air conditioning

Type	Roof type air conditioning unit with fresh air intake
Power	12 kW

Electrical system

Batteries	2 x 12 Volt, 105 AH
Alternator	24 Volt, 90A


Luggage compartment

Capacity	3,5 m ³
----------	--------------------

OPTIONS

Manual transmission, wheelchair lift preparation with 3rd door, space for up to 6 wheelchairs, rear view camera, destination plates, refrigerator





DIMENSIONS

Overall length* (mm)	7721
Overall width (mm)	2265
Overall height (mm)	3275
Wheelbase (mm)	3866
Front track (mm)	1826
Rear track (mm)	1696
Front overhang (mm)	1640
Rear overhang (mm)	2215
Interior height (mm)	1920

WEIGHT


Front axle (kg)	4000
Rear axle (kg)	6000
Gross vehicle weight (kg)	9900

*Option: 7010 mm

INTERCITY BUS RANGE



YOUR DISTRIBUTOR:



Otokar Europe SAS
 24-26 rue du Noyer B.P.41
 Parc Les Scientifiques De Roissy Lot A-3
 95700 Roissy en France
 France

www.otokar.com